

CAUTIONARY NOTICE

News releases, presentations and public commentary made by SolGold plc (the “**Company**”) and its Officers may contain certain statements and expressions of belief, expectation or opinion which are forward looking statements, and which relate, inter alia, to interpretations of exploration results to date and the Company’s proposed strategy, plans and objectives or to the expectations or intentions of the Company’s Directors. Such forward-looking and interpretative statements involve known and unknown risks, uncertainties and other important factors beyond the control of the Company that could cause the actual performance or achievements of the Company to be materially different from such interpretations and forward-looking statements.

Accordingly, the reader should not rely on any interpretations or forward-looking statements; and save as required by the exchange rules of TSX and LSE for companies or by applicable laws, the Company does not accept any obligation to disseminate any updates or revisions to such interpretations or forward-looking statements. The Company may reinterpret results to date as the status of its assets and projects changes with time expenditure, metals prices and other affecting circumstances.

The Company and its officers do not endorse, or reject or otherwise comment on the conclusions, interpretations or views expressed in press articles or third-party analysis, and where possible aims to circulate all available material on its website.

The Company recognises that the term “World Class” is subjective and for the purpose of the Company’s projects the Company considers the drilling results at the growing Alpala Porphyry Copper Gold Deposit at its Cascabel Project to represent intersections of a “World Class” deposit on the basis of comparisons with other drilling intersections from “World Class” deposits tabulated in **Table 1**, some of which have become, or are becoming,

producing mines and on the basis of available independent opinions which may be referenced to define the term “World Class” (or “Tier 1”).

Rank	Operator	Property	Location	Interval (m)	Cu (%)	Au (g/t)	Cu.Eq (%)	m% CuEq
1	Anglo American	Los Sulphatos	Central Chile	717.0	3.60	0.00	3.60	2581
2	Codelco	Chilean Giants	Northern Chile	unknown	unknown	unknown	unknown	2500
3	Kennecott	Bingham Canyon	Utah, USA	unknown	unknown	unknown	unknown	2500
4	Newcrest Mining	Wafi-Golpu	Papua New Guinea	1421.5	1.14	0.64	1.54	2195
5	Newcrest Mining	Wafi-Golpu	Papua New Guinea	943.5	1.44	1.28	2.25	2122
6	Imperial Metals	Red Chris	BC, Canada	1024.0	1.01	1.26	1.81	1850
7	Anglo Gold Ashanti	Nuevo Chaquiri	Colombia	810.0	1.65	0.78	2.14	1736
8	Freeport McMoran	Grasberg	Irian Jaya	591.0	1.70	1.80	2.84	1677
9	Ivanhoe Mines	Oyu Tolgoi	Southern Mongolia	326.0	3.77	1.23	4.55	1482
10	SolGold Plc	Cascabel - Hole 12	Ecuador	1560.0	0.59	0.54	0.93	1455
11	SolGold Plc	Cascabel - Hole 9	Ecuador	1197.4	0.63	0.83	1.16	1385
12	Exeter Resources	Caspiche	Northern Chile	1214.0	0.90	0.33	1.11	1346
13	SolGold Plc	Cascabel - Hole 5	Ecuador	1358.0	0.61	0.53	0.94	1279
14	Metallica	El Morro, La Fortuna	Chile	780.0	0.84	1.24	1.62	1266
15	SolGold Plc	Cascabel - Hole 16	Ecuador	936.0	0.75	0.95	1.35	1266
16	Anglo American	Los Sulphatos	Central Chile	990.0	1.26	0.00	1.26	1247
17	Ivanhoe Mines	Oyu Tolgoi	Southern Mongolia	476.0	2.16	0.67	2.58	1230
18	SolGold Plc	Cascabel - Hole 23R	Ecuador	1030.0	0.59	0.90	1.16	1195
19	Metallica	El Morro, La Fortuna	Chile	758.0	0.93	0.99	1.56	1179
20	Newcrest	Cadia Ridgeway	NSW, Australia	341.0	0.93	3.86	3.37	1149
21	Ivanhoe Mines	Hugo Dummet	Southern Mongolia	302.0	3.11	0.98	3.73	1126
22	Ivanhoe Mines	Oyu Tolgoi	Southern Mongolia	422.0	2.48	0.21	2.61	1103
23	Imperial Metals	Red Chris	Canada	1135.0	0.50	0.59	0.87	991
24	Exeter Resources	Caspiche	Northern Chile	1058.0	0.70	0.35	0.92	975
25	SolGold Plc	Cascabel - Hole 15R2	Ecuador	1402.0	0.48	0.34	0.69	974
26	Exeter Resources	Caspiche	Northern Chile	792.5	0.96	0.40	1.21	961
27	Imperial Metals	Red Chris	BC, Canada	716.3	0.79	0.74	1.26	901
28	Nevsun	Timok	Serbia	798.0	0.80	0.22	1.11	886
29	SolGold Plc	Cascabel - Hole 17	Ecuador	954.0	0.60	0.52	0.93	884
30	SolGold Plc	Cascabel - Hole 21	Ecuador	946.0	0.67	0.39	0.92	872
31	Metallica	El Morro, La Fortuna	Chile	820.0	0.59	0.73	1.05	862
32	SolGold Plc	Cascabel - Hole 19	Ecuador	1344.0	0.44	0.28	0.62	829
33	SolGold Plc	Cascabel - Hole 18	Ecuador	864.0	0.57	0.61	0.96	825
34	Seabridge Gold Inc.	KSM	Canada	1023.4	0.24	0.77	0.73	744

NOTES: *Gold Conversion Factor of 0.63 calculated from a copper price of US\$3.00/lb and a gold price US\$1300/oz. True widths of downhole interval lengths are estimated to be approximately 25% to 50%. Sources: peer review, snl.com, various company releases & broker reports,

Table 1: Globally significant drilling results for copper and gold deposits. This table has been reviewed by Mr James Gilbertson of SRK Exploration Services Ltd., the Company's independent consultant and "Qualified Person", and does not purport to be exhaustive.

The Company considers that "World Class" deposits are rare, very large, long life, low cost, and are responsible for approximately half of total global metals production. "World Class" deposits are generally accepted as deposits of a size and quality that create multiple expansion opportunities, and have or are likely to demonstrate robust economics that ensure development irrespective of position within the global commodity cycles, or whether or not the deposit has been fully drilled out, or a feasibility study completed.

Standards drawn from industry experts (¹Singer and Menzie, 2010; ²Schodde, 2006; ³Schodde and Hronsky, 2006; ⁴Singer, 1995; ⁵Laznicka, 2010) have characterised "World Class" deposits at prevailing commodity prices. The relevant criteria for "World Class" deposits, adjusted to current long run commodity prices, are considered to be those holding or likely to hold more than 5 million tonnes of copper and/or more than 6 million ounces of gold with a modelled net present value of greater than USD 1 Billion.

The Company cautions that the Cascabel Project remains an early exploration stage project at this time. Despite the relatively high copper and gold grades over long intersections and broad areas, and widespread surface mineralization discovered at the Cascabel Project to date, much of which has still not yet been drill tested, the Company has yet to prepare an initial mineral resource estimate at the Cascabel Project and any development or mining potential for the project remains speculative. There is inherent uncertainty relating to any project at an exploration stage, prior to the determination of a mineral resource estimate, preliminary economic assessment, pre-feasibility study and/or feasibility study. There is no certainty that future results will yield the results seen to date or that the project will continue to be considered to contain a "World Class" deposit. Accordingly, past exploration results may not be predictive of future exploration results.

From the drilling results at the growing Alpala Porphyry Copper Gold Deposit (only) within the Cascabel Project, the Company considers the deposit to have significant resource potential and the data gathered has provided the basis for the estimation of an exploration target over the area drilled to date. Initial 3D modelling and grade shell interpolants have outlined an approximate exploration target at Alpala that ranges from 729Mt at 1.06% copper equivalent, using a cut-off grade of 0.4% copper equivalent, to 969Mt at 0.92% copper equivalent, using a cut-off grade of 0.3% copper equivalent. These estimates equate to an endowment of between 7.7-8.9Mt of contained copper equivalent (**Figure A**).






Figure A: Exploration target over the area drilled to date. Initial 3D modelling and grade shell interpolants have outlined an approximate exploration target at Alpa that ranges from 729Mt at 1.06% copper equivalent, using a cut-off grade of 0.4% copper equivalent, to 969Mt at 0.92% copper equivalent, using a cut-off grade of 0.3% copper equivalent. These estimates equate to an endowment of between 7.7-8.9Mt of contained copper equivalent. Low-tonnage, very high-grade Exploration Targets also exist at elevated cut-off grades of 0.7% and 1.0% copper equivalent (Lower Insets below).





Copper equivalent grades used are calculated using a gold conversion factor of 0.63, determined using a copper price of USD 3.00/pound and a gold price of USD 1300/ounce. Drill hole intercepts are calculated using a data aggregation method, defined by copper equivalent cut-off grades and reported with up to 10m internal dilution, excluding bridging to a single sample. True widths of down hole intersections are estimated to be approximately 25-50%. The Company cautions that the potential quantity and grade ranges (exploration target) disclosed above for the Alpala Porphyry Copper Gold Deposit within the Cascabel Project is conceptual in nature, and there has been insufficient exploration to define a mineral resource, and the Company is uncertain if further exploration will result in the exploration target being delineated within a mineral resource estimate.

On this basis, the reference to the Cascabel Project as “World Class” (or “Tier 1”) is considered to be appropriate. Examples of global copper and gold discoveries since 2006 that are generally considered to be “World Class” are summarised in **Table 2**.

Deposit Name	Discovery Year	Major Metals	Country	Current Status	Mining_Style	Inventory
LA COLOSA	2006	Au,Cu	Colombia	Feasibility - New project	Open Pit	¹ 469Mt @ 0.95g/t Au; 14.3MOz Au
LOS SULFATOS	2007	Cu,Mo	Chile	Advanced Exploration	Underground	² 1.2Bt @ 1.46% Cu and 0.02% Mo; 17.5Mt Cu
BRUCEJACK	2008	Au	Canada	Development/Construction	Open Pit	³ 15.6Mt @ 16.1 g/t Au; 8.1Moz Au
KAMOA-KAKULA	2008	Cu,Co,Zn	Congo (DRC)	Feasibility - New project	Open Pit & U/ground	⁴ 1.34Bt @ 2.72% Cu; 36.5 Mt Cu
GOLPU	2009	Cu,Au	PNG	Feasibility - New project	Underground	⁵ 820Mt @ 1.0% Cu, 0.70g/t Au; 8.2Mt Cu, 18.5Moz Au
COTE	2010	Au,Cu	Canada	Feasibility Study	Open Pit	⁶ 289Mt @ 0.90 g/t Au; 8.4MOz Au
HAIYU	2011	Au	China	Development/Construction	Underground	⁷ 15Moz Au
RED HILL-GOLD RUSH	2011	Au	United States	Feasibility Study	Open Pit & U/ground	⁸ 47.6Mt @ 4.56g/t Au; 7.0MOz Au
XILING	2016	Au	China	Advanced Exploration	Underground	⁹ 383Mt @ 4.52g/t Au; 55.7MOz Au

Source: after MinEx Consulting, May 2017

¹ Source: <http://www.mining-technology.com/projects/la-colosa>

² Source: <http://www.angloamerican.com/media/press-releases/2009>

³ Source: <http://www.pretivm.com/projects/brucejack/overview/>

⁴ Source: <https://www.ivanhoemines.com/projects/kamoa-kakula-project/>

⁵ Source: http://www.newcrest.com.au/media/resource_reserves/2016/December_2016_Resources_and_Reserves_Statement.pdf

⁶ Source: <http://www.canadianminingjournal.com/news/gold-iamgold-files-cote-project-pea/>

⁷ Source: <http://www.zhaojin.com.cn/upload/2015-05-31/580601981.pdf>

⁸ Source: https://mrddata.usgs.gov/sedau/show-sedau.php?rec_id=103

⁹ Source: http://www.chinadaily.com.cn/business/2017-03/29/content_28719822.htm

Table 2: Tier 1 global copper and gold discoveries since 2006. This table does not purport to be exhaustive exclusive or definitive.

References cited in the text:

1. Singer, D.A. and Menzie, W.D., 2010. *Quantitative Mineral Resource Assessments: An Integrated Approach*. Oxford University Press Inc.
2. Schodde, R., 2006. *What do we mean by a world class deposit? And why are they special*. Presentation. AMEC Conference, Perth.
3. Schodde, R and Hronsky, J.M.A, 2006. *The Role of World-Class Mines in Wealth Creation*. Special Publications of the Society of Economic Geologists Volume 12.
4. Singer, D.A., 1995, *World-class base and precious metal deposits—a quantitative analysis*: *Economic Geology*, v. 90, no.1, p. 88–104.
5. Laznicka, P., 2010. *Giant Metallic Deposits: Future Sources of Industrial Metal, Second Edition*. Springer-Verlag Heidelberg.